




VII Encontro Sul-Americanano de Colisões Inelásticas na Matéria

Gramado, RS, Brasil
27 a 30 de outubro de 2014

Livro de Resumos



Livro de Resumos

VII Encontro Sul- Americano de Colisões

Inelásticas na Matéria

Organizadores
Raul Carlos Fadanelli Filho
Pedro Luis Grande

Porto Alegre
2014

UFRGS – Instituto de Física

Ficha catalográfica elaborada pela Biblioteca Professora Ruth de Souza Schneider

E562 Encontro Sul-Americano de Colisões Inelásticas na Matéria
(7. : 2014 : Gramado, RS).

Livro de Resumos VII Encontro Sul-Americano de Colisões Inelásticas na Matéria [recurso eletrônico] / Organizadores: Raul Carlos Fadanelli Filho, Pedro Luis Grande. – Porto Alegre : UFRGS - Instituto de Física, 2014.

Modo de acesso:
<<http://www.if.ufrgs.br/~grande/VIIIESCIM.pdf>>
ISBN 978-85-64948-12-9

1. Implantação de íons. 2. Feixes de íons. I. Fadanelli Filho, Raul Carlos. II. Grande, Pedro Luis. III. Título

Comparative Study of Microstructured Polymer Foils using STIM with H, He and Li ions

E. M. Stori^(a), C. T. de Souza^(a), R. M. Papaléo^(b), L. Amaral^(a), J. F. Dias^(a)

(a) 1Ion Implantation Laboratory – Physics Institute – Federal University of Rio Grande do Sul – Av. Bento Gonçalves, 9500, Postal Code University of Rio Grande do Sul, Av. Bento Gonçalves 9500, Postal Code 91501-970, P.O. Box 15051

(b) Faculty of Physics, PUCRS, Av. Ipiranga 6681, Porto Alegre, RS, Brasil

Scanning Transmission Ion Microscopy (STIM) provides structural images based on the energy loss of swift ions passing through the sample and therefore it depends on local mass density. That quality makes the technique useful for morphological analysis of microstructures fabricated on homogeneous substrates such as polymer foils.

Proton Beam Writing (PBW) is an important technique for fabrication of various devices with applications on different areas such as microfluidics, tissue engineering substrates and microphotonics, among others. Microstructures obtained by PBW can be an interesting object of study by STIM when fabricated on homogeneous substrates. In this case, STIM can be an important tool for morphological characterization.

In this work we present a study of two different structures obtained by PWB and subsequently submitted to STIM measurements using three different ions, namely protons, alpha particles and Li+3 ions, in order to evaluate the differences between the analysis by each particle beam considering the energy resolution achieved by them and the effects on the resulting images. The results indicate that ions heavier than protons may provide distinct information about the microstructures under study.